



**Pink Rose**<sup>®</sup>  
PIGMENTS PVT. LTD.

## Manufacturer of Pigments in Ahmedabad & Color Pigment in Ahmedabad

	ROSELENE (Pigment Emulsion)			Fastness Properties							Fastness Dry cleaning with perchloroethylene (ISO-105-D01)	Hot Air Stability 150°C (DIN 54060)	C. I. NO.
	0.5%	2%	4%	Light Fastness ISO-105-B02			Watch 95°C (ISO- 105- CO4)	Hypochlorite Severe (ISO- 105D01)	Perspiration				
				1/6 SD	1/3 SD	1/1 SD			Acidic	Alkaline			
Yellow EF10G				7	7	7-8	4-5	4-5	4-5	4-5	1	5	Yellow 3
Yellow PR2G				7	7	7-8	4-5	5	4-5	4-5	2-3	5	Yellow 12
G. Yellow PRRM				2-3	4-5	5	4-5	4-5	4-5	4-5	2-3	4-5	-
Orange PRG				4-5	5-6	6-7	4-5	4-5	4-5	5	2-3	5	Orange 13
Orange EF5G				5	5-6	6	4-5	4-5	4-5	5	2-3	4-5	Orange 5
Red PRGR				4	5	5-6	4-5	5	5	5	2-3	5	Red 8
Red EFGR				5-6	6	6-7	4-5	4-5	5	5	4-5	5	Red 210
Rubine PRB				5-6	6	6-7	4-5	4-5	5-5	4-5	5	5	Red 32
Bordeaux PRB				5-6	6	6-7	4-5	4-5	5-5	4-5	5	5	Red 12
Pink PRB				6-7	7	7	4-5	1	5	5	5	5	Red 122
Red Violet PBR				6-7	7	7	4	5	5	5	5	5	Red 31
Violet PRR				6-7	7	7-8	5	5	5	5	4-5	5	Violet 23
Green PRG				7	7-8	7-8	4-5	4-5	5	5	2-3	5	Green 7
Green PR2G				6	7	7-8	4	4	5-5	4-5	5	5	-
Brown PRP				3	3-4	5	4-5	4-5	5	5	2-3	4-5	-
Blue PRB				6-7	7	7-8	5	5	5	5	4-5	5	Blue 15
Navy Blue PRB				6-7	7	7-8	5	5	5	5	4-5	5	-
Turq. Blue PRB				7	7	7-8	4-5	4-5	5	5	4-5	5	-

Black PRG				7-8	7-8	7-8	4-5	4-5	5	5	5	5	Black 7
Black PRG				7-8	7-8	7-8	4-5	4-5	5	5	5	5	Black 7

➤ Roselene Aqueous Based Printing Stock Paste

• Binders :-	10-20 parts
• Synthetic Thickener :-	1.5 parts
• Rheology Modifier :-	0.2-0.3 parts
• Urea :-	2 parts
• Water :-	Balance
• Liquid Ammonia :-	1.0 parts (pH 8.5)
• Print Feel Modifier :-	1.0 parts
	100 parts

**Manufacturer of  
Pigments &  
Manufacturer of  
Pigments in Gujarat**

➤ Roselene Aqueous Based Printing Stock Paste

**Pigment Paste  
Manufacturer &  
Pigment  
companies in  
India**

• Binders :-	10 parts
• Emulsifier :-	1parts
• Urea :-	2 parts
• Water :-	7 parts
• Kerosene :-	80 parts
	100 parts

➤ Printing Paste

<ul style="list-style-type: none"> <li>Roselene Pigment Emulsion :-</li> <li>Stock Paste :-</li> </ul> <p>Print – Dry – Cure 150oC, 4-5min</p>	<p>X parts</p> <p>100-X parts</p> <p>100 parts</p>
--	--

## Pigment Paste for Paper

➤ Printing Paste

**Organic Pigments manufacturer & Supplier of paper Pigments**

<ul style="list-style-type: none"> <li>Roselene Pigment Emulsion :-</li> <li>Stock Paste :-</li> </ul>	<p>X parts</p> <p>100-X parts</p> <p>100 parts</p>
--	--

➤ Roselene Padding Method – Padding Liquor Stock Paste

<ul style="list-style-type: none"> <li>Binders :-</li> <li>Water :-</li> <li>Roselene (pre-dissolved) :-</li> <li>Acetic Acid (30%) :-</li> <li>Ammonium Chloride (pre-dissolved) :-</li> </ul>	<ul style="list-style-type: none"> <li>20-80 gpl</li> <li>Balance</li> <li>X gpl</li> <li>2-3 gpl</li> <li>2-3 gpl</li> <li>100 parts</li> </ul>
---	--

**Exporter of Pigment Paste & Pigment powder exporter**